













AIRTRONICS	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.875"	1-72	Microtol #1 16522	.015"	201-015	201-015R
				.031"	201-031	201-031R
				.062"	201-062	201-062R
				.100"	201-100	201-100R
				.125"	201-125	-

ALINA	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.900"	1-72	1950M	.015"	210-015	210-015R
				.031"	210-031	210-031R
				1mm	210-040	210-040R
				.062"	210-062	210-062R
				2mm	210-080	210-080R
				.100"	210-100	210-100R

BENDIX-SHEFFIELD	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number
	.760"	N/A	Feather Touch	.015" .031" .062" .100"	214-015 214-031 214-062 214-100


BENDIX-SHEFFIELD PRECISION DEVICES INC INDI-AC	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.844"	.125" Ball	T210 T220 T225 T425	.015" .031" 1mm .062" 2mm .100" .125"	203-015 203-031 203-040 203-062 203-080 203-100 203-125	203-015R 203-031R 203-040R 203-062R 203-080R 203-100R -
	1.688"	.125" Ball	T220 T225 T425	.015" .031" .062" .100" .125"	204-015 204-031 204-062 204-100 204-125	- - - - -
(2X LENGTH)	2.058"	.125" Ball	T210	.015" .031" .062" .100" .125"	229-015 229-031 229-062 229-100 229-125	- - - - -
	2.532"	.125" Ball	T220 T225 T425	.015" .031" .062" .100" .125"	205-015 205-031 205-062 205-100 205-125	- - - - -
(3X LENGTH)	3.273"	.125" Ball	T210	.015" .031" .062" .100" .125"	230-015 230-031 230-062 230-100 230-125	- - - - -
	3.376"	.125" Ball	T220 T225 T425	.015" .031" .062" .100" .125"	218-015 218-031 218-062 218-100 218-125	- - - - -
(4X LENGTH)	4.488"	.125" Ball	T210	.015" .031" .062" .100" .125"	231-015 231-031 231-062 231-100 231-125	- - - - -
	.844"	.125" Ball	T210 T220 T225 T425	.015" .031" 1mm .062" 2mm .100" .125"	219-015 219-031 219-040 219-062 219-080 219-100 219-125	219-015R 219-031R 219-040R 219-062R 219-080R 219-100R -
(Z FORM)	1.688"	.125" Ball	T220 T225 T425	.015" .031" .062" .100" .125"	220-015 220-031 220-062 220-100 220-125	- - - - -
	2.058"	.125" Ball	T210	.015" .031" .062" .100" .125"	232-015 232-031 232-062 232-100 232-125	- - - - -
(Z FORM - 2X LENGTH)	2.532"	.125" Ball	T220 T225 T425	.015" .031" 1mm .062" .100" .125"	221-015 221-031 - 221-062 221-100 221-125	- - 221-040R - - -
	3.273"	.125" Ball	T210	.015" .031" .062" .100" .125"	233-015 233-031 233-062 233-100 233-125	- - - - -
(Z FORM - 3X LENGTH)						







BENDIX-SHEFFIELD/PRECISION DEVICES INC INDI-AC continued from page 20	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
 (Z FORM - 4X LENGTH)	3.376"	.125" Ball	T220 T225 T425	.015" .031" .062" .100" .125"	222-015 222-031 222-062 222-100 222-125	
	4.488"	.125" Ball	T210	.015" .031" .062" .100" .125"	234-015 234-031 234-062 234-100 234-125	

BROWN & SHARPE	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.945"	N/A	599-980, 981	.015" .031" 1mm .062" 2mm .100"	202-015 202-031 202-040 202-062 202-080 202-100	202-015R 202-031R 202-040R 202-062R 202-080R 202-100R
	1.260"	N/A	599-988 (TESA GT31)	.010" .015" .025" .031" 1mm .046" .062" 2mm .100" .125"	223-010 223-015 223-025 223-031 223-040 223-046 223-062 223-080 223-100 223-125	- 223-015R - 223-031R 223-040R - 223-062R 223-080R 223-100R -
	1.000"	4-40	599-1002	.015" .031" .062" .100"	224-015 224-031 224-062 224-100	- - - -
	.563"	M1.7 x 0.35	599-999-1	.015" .031" .062" .100"	227-015 227-031 227-062 227-100	- - 227-062R -
	1.563"	M1.7 x 0.35	599-999-2	.015" .031" .062" .100"	228-015 228-031 228-062 228-100	- - - -

BRUNSWICK	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.555"	.156" Ball	Finger Probe 221	.015" .031" .062" .100"	215-015 215-031 215-062 215-100	- - - -
	1.055"	.156" Ball	Finger Probe 221	.015" .031" .062" .100"	216-015 216-031 216-062 216-100	- - - -
	.563"	M1.7 x 0.35	Finger Probe 24-00-1	.015" .031" .062" .100"	227-015 227-031 227-062 227-100	- - 227-062R -
	1.563"	M1.7 x 0.35	Finger Probe 24-00-2	.015" .031" .062" .100"	228-015 228-031 228-062 228-100	- - - -

DO-ALL	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	Part Number
	.915"	1-72	Trans-Check TC-510-3	.015"	206-015
				.031"	206-031
				.062"	206-062
				.100"	206-100
				.125"	206-125
	1.000"	4-40	T	.015"	235-015
				.031"	235-031
				.062"	235-062
				.080"	235-080
				.100"	235-100


FEDERAL / MAHR	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number	Delrin Ball Part Number
	1.085"	4-48	EHE-1048, EHE-1050, EHE-1052, EHE-1056, EHE-1115, EHE-1165, EHE-2048, EHE-2050, EHE-2052, EHE-2056 LEVER GAUGE HEAD	.005"	207-005	-	-
				.006"	207-006	-	-
				.008"	207-008	-	-
				.010"	207-010	-	-
				.015"	207-015	207-015R	-
				.031"	207-031	207-031R	-
				1mm	207-040	207-040R	-
				1.5mm	-	207-060R	-
				.062"	207-062	207-062R	207-062D
				2mm	207-080	207-080R	207-080D
				.100"	207-100	207-100R	-
				3mm	-	207-120R	-
				.125"	207-125	207-125R	207-125D
	1.085"	4-48	EHE-1048, EHE-1050, EHE-1052, EHE-1056, EHE-1115, EHE-1165, EHE-2048, EHE-2050, EHE-2052, EHE-2056 LEVER GAUGE HEAD	.015"	225-015	225-015R	-
				.031"	225-031	225-031R	-
				.062"	225-062	225-062R	225-062D
				2mm	225-080	225-080R	225-080D
				.100"	225-100	225-100R	-
				.125"	225-125	225-125R	225-125D
	1.199"	0-80	EHE-2168, EHE-2172 MINIATURE STYLE LEVER GAUGE HEAD	.006"	237-006	-	-
				.008"	237-008	-	-
				.010"	237-010	-	-
				.015"	237-015	237-015R	-
				.031"	237-031	237-031R	-
				1mm	237-040	237-040R	-
				.062"	237-062	237-062R	237-062D
				2mm	237-080	237-080R	237-080D
				.100"	237-100	237-100R	-
				.125"	237-125	237-125R	237-125D


M&M PRECISION / BROWN & SHARPE / TESA	MODEL NUMBER	A (Length)	Ball Diameter	Part Number
	(M&M) Q-1154 (B&S) 599-988 (TESA) GT31	1.260"	.015" .025" .031" .046" .062" .100" .250"	241-015 241-025 241-031 241-046 241-062 241-100 241-250
	(M&M) Q-1154 (B&S) 599-988 (TESA) GT31	1.260"	.015" .031" .046" .062" .100" .250"	242-015 242-031 242-046 242-062 242-100 242-250
	(M&M) Q-1154 (B&S) 599-988 (TESA) GT31	1.260"	.015" .031" .046" .062" .100" .250"	243-015 243-031 243-046 243-062 243-100 243-250
	(M&M) Q-1154 (B&S) 599-988 (TESA) GT31	1.260"	.015" .031" .046" .062" .100" .250"	244-015 244-031 244-046 244-062 244-100 244-250
REPLACEMENT SCREW				245
REPLACEMENT PIN				246

MAHR	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.827"	M1.6 x 0.35	1318	.015" .020" .031" 1mm .062" 2mm .100"	226-015 226-020 226-031 226-040 226-062 226-080 226-100	226-015R - 226-031R 226-040R 226-062R 226-080R 226-100R


MINNETECH	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.900"	1-72	MS-103	.015" .031" 1mm .062" 2mm .100"	210-015 210-031 210-040 210-062 210-080 210-100	210-015R 210-031R 210-040R 210-062R 210-080R 210-100R

MITUTOYO	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.352"	M1.4 x 0.3	519-106, 519-321, 519-322, 519-521, 519-522	.006" .015" .020" .031" 1mm 1.5mm .062" 2mm .100"	124-006 124-015 124-020 124-031 124-040 - 124-062 124-080 124-100	- 124-015R - 124-031R 124-040R 124-060R 124-062R 124-080R 124-100R

MITUTOYO continued from page 23	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.256"	M1.4 x 0.30	519-326 519-327	.015" .031" 1mm .062" 2mm .100"	182-015 182-031 182-040 182-062 182-080 182-100	182-015R 182-031R 182-040R 182-062R 182-080R 182-100R
	.739"	M1.6 x 0.2	574-004 574-005 574-006 574-007	.015" .031" 1mm .062" 2mm .100"	236-015 236-031 236-040 236-062 236-080 236-100	- - 236-040R - 236-080R -
	.563"	M1.7 x 0.35	519-899 "Short" STANDARD LENGTH TIP	.015" .031" .062" .100"	227-015 227-031 227-062 227-100	- - 227-062R -
	1.563"	M1.7 x 0.35	519-899 "Long" EXTRA LENGTH TIP	.015" .031" .062" .100"	228-015 228-031 228-062 228-100	- - - -
	.641"	M2 X 0.4	192-001, 192-002, 192-007, 192-008	.015" .031" 1mm .062" 2mm 2.5mm .100" 3mm	238-015 238-031 238-040 238-062 238-080 - 238-100 238-120	238-015R 238-031R 238-040R 238-062R 238-080R 238-100R - 238-120R
	Nut for 238 Series Tips for Mounting in Mitutoyo 192 Series Bi-Directional Touch-Signal Probes					238LN

PRATT & WHITNEY	A (Length)	Ratchet	Model Number	Ball Diameter	Part Number
	.662"	Ratchet	Trans-O-Limit D-E	.015" .031" .062" .100"	212-015 212-031 212-062 212-100

SOLARTRON	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.900"	1-72	DL05	.015" .031" 1mm .062" 2mm .100"	210-015 210-031 210-040 210-062 210-080 210-100	210-015R 210-031R 210-040R 210-062R 210-080R 210-100R

STARRETT	A (Length)	Ball Size	Model Number	Ball Diameter	T.C. Ball Part Number	Ruby Ball Part Number
	.950"	.187" Ball	Last Word 712 715-1Z LEVER TYPE HEAD	.015" .031" .062" 2mm .100" .125"	213-015 213-031 213-062 213-080 213-100 213-125	213-015R 213-031R 213-062R 213-080R 213-100R -

TAPER-MICROMETER	A (Length)	Thread Size/Pitch	Model Number	Ball Diameter	Part Number
	.760"	2-56	Comparator TMC500	.015" .031" .062" .100"	217-015 217-031 217-062 217-100